The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-21738

Stream : Crandall Branch

Applicant : Eric Van and Kimberly Esteran

4058 Crandall Branch Road Northeast

Georgetown, IN 47122-7723

Description : An existing un-permitted low water crossing will be removed and replaced with a

new structure along the same alignment. The new structure will consist of a 16' long x 12' wide x 3' tall 3-sided concrete box culvert. The new culvert will be centered on the streambed and flanked on either side by a 16' long x 8' wide x 3' tall 3-sided concrete box culvert. A concrete cap will be placed over the three culverts such that the top of the road will be 1' above the low structure of the culvert. The approaches that were cut to access the existing low water crossing will be filled to original grade to access the proposed structure. Details of the project are contained in information and plans received at the Division of Water

on February 11, 2002, and March 11, 2003.

Location : Approximately 625 feet downstream (northwest) of the Crandall Branch Road

stream crossing

near Crandall, Franklin Township, Harrison County

NW1/4, SW1/4, NW1/4, Section 2, T 3S, R 4E, Crandall Quadrangle

Quad Code: 3808631

UTM Coordinates: Downstream 4237410 North, 583104 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22229

Lake : Monroe Lake

Applicant : Jeff Hammond

9301 South Fairfax Road Bloomington, IN 47401-8962

Description : A concrete boat ramp will be constructed along United States property frontage at

Monroe Reservoir to provide recreational access. The ramp will extend approximately 120' lakeward of, and will conform to, the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on February 12, 2003.

Location : 2 acres lying just south of the existing Fourwinds Resort; approximately 7,600'

south and 1,500' east of the Mt Ebel Road and Fairfax Road intersection

continuing approximately 200' south and 600' west

DOWNSTREAM: near Bloomington, Clear Creek Township, Monroe County

NE¼, NE¼, SW¼, Section 26, T 7N, R 1W, Allens Creek Quadrangle

Quad Code: 3908614

UTM Coordinates: Downstream 4317975 North, 544528 East

UPSTREAM:

UTM Coordinates: Upstream 4318051 North, 544662 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22249

Stream : Unnamed Tributary Dyer

Ditch

Applicant : Michael R Nowicki

1744 Falcon Drive

Bethlehem, PA 18017-2726

Description : A 20' x 175' driveway will be constructed from Sunset Boulevard along the south

edge of property then continuing east/northeast on the property. The driveway will be constructed at grade and will have a depth of five inches (5") of gravel. Details of the project are contained in information and plans received at the

Division of Water on February 26, 2003.

Location : Beginning approximately 1500' south of Highway 30 and 1700' west of Highway

41 and continuing east approximately 600'

near Schererville, St. John Township, Lake County

SW¼, NE¼, Section 17, T 35N, R 9W, St. John Quadrangle

Quad Code: 4108744

UTM Coordinates: Downstream 4592807 North, 460173 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22253

Stream : Fall Run

Applicant : New Albany Flood Control

Rick Fox

City-County Building

New Albany, IN 47150-3570

Description : Approximately 540' of Fall Run's eroded north (left] streambank will be stabilized

with concrete and stone rip rap to protect the bank from further erosion. The concrete and stone rip rap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 445', a maximum streamward projection of 40' beyond the existing bank, and maximum of 2:1 sideslopes. Details of the project are contained in information

and plans received at the Division of Water on February 28, 2003.

Location : Beginning at the southwest corner of the Cherry Street and State Street

intersection and continuing downstream for approximately 540'

DOWNSTREAM: near New Albany, New Albany Township, Floyd County SW1/4, SW1/4, Section 35, T 2S, R 6E, New Albany, IN-KY Quadrangle

Quad Code: 3808537

UTM Coordinates: Downstream 4238350 North, 602687 East

UPSTREAM:

UTM Coordinates: Upstream 4238500 North, 602615 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22254

Stream : Schlensker Ditch

Applicant : Bridlewood Development, LLC.

Bruce M Biggerstaff, Sr 3614 Citadel Circle

Newburgh, IN 47630-7903

Description : A new residential development, Bridlewood Section 6, will be constructed along

the west bank of Schlensker Ditch to provide additional housing for the rapidly growing area. Floodway construction activities associated with this development include: An incised stormwater borrow basin with approximate dimensions of 200' x 576' x 10' deep. Runoff will be directed to the basin through a storm sewer system constructed outside the floodway within the development. Material excavated from the basin will be used to elevate the building pads located in the fringe. Also, a 50' long outfall spillway. The outfall will consist of a rip-rap lined spillway that will convey stormwater from the detention basin to Schlensker Ditch. Details of the project are contained in information received electronically at the

Division of Water on March 3, 2003.

Location : Project is located approximately 2400 feet west and 1300 feet north of S.R. 57

and Boonville New Harmony Road Intersection. Part of the NE1/4 of the NW1/4

of Section 14, Township 5 South, Range 10 West in Scott Township,

Vanderburgh County, Indiana.

Near Evansville, Scott Township, Vanderburgh County

Section 14, T 5S, R 10W

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22257

Stream : Unnamed Tributary Prairie

Creek

Applicant : Gene Stockdale

1291 East State Road 32 Veedersburg, IN 47987-8134

Description : Approximately 3150' of an Unnamed Tributary to Prairie Creek will be dredged to

a depth of 2' to remove sediment that has accumulated. The finished channel will have a 5' - 6' bottom width and sideslopes. The sidelsopes will be revegetated. The excavated material will be evenly spread landward of the top of bank over a

3150' x 50 area to a depth no greater than 6". Details of the project are

contained in information and plans received at the Division of Water on March 4,

2003.

Location : Approximately 3500' southeast of the County Road 200 East stream crossing and

continuing for 3150' upstream to the County Road 300 East (New Liberty Road)

stream crossing

DOWNSTREAM: near Veedersburg, Millcreek Township, Fountain County

NW1/4, NW1/4, SE1/4, Section 33, T 19N, R 7W, Hillsboro Quadrangle

Quad Code: 4008712

UTM Coordinates: Downstream 4432603 North, 481662 East

UPSTREAM: NE1/4, SE1/4, SE1/4

UTM Coordinates: Upstream 4432216 North, 482475 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22259

Stream : East Fork Birch Creek

Applicant : K&H Regional Sewer District

Jack Sneddon PO Box 48

Knightsville, IN 47857-0048

Description : A 10" diameter force main will be placed beneath the stream to expand the public

sanitary sewer service. The line will be placed by the open trench method. It will have 4' of cover beneath the streambed (measured to the top the encasement) and 4' in the banks. Details of the project are contained in information and plans

received at the Division of Water on March 5, 2003.

Location : Across the stream, just north of County Road 700 North

near Hoosierville, Jackson Township, Clay County

SE¼, SW¼, SE¼, Section 8, T 12N, R 6W, Center Point Quadrangle

Quad Code: 3908741

UTM Coordinates: Downstream 4370845 North, 491695 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22262

Stream : O'brian Ditch

Applicant : City of Indianapolis

Eric Destival

604 North Sherman Drive Indianapolis, IN 46201-2563

Description : The existing 24' long rectangular culvert carrying German Church Road over the

stream will be extended to an out-to-out length of 64'. The structure will be extended by 20' on both the upstream and downstream sides with 3-sided. precast reinforced concrete elements. The culvert extension will have pre-cast concrete headwalls and wingwalls installed on cast in place concrete footings. The road profile will not change. Minor channel excavation will occur within the right-of-way (approximately 65' east and west of the centerline) to accommodate placement of riprap. Details of the project are contained in information and plans

received at the Division of Water on March 5, 2003.

Location : At the German Church Road stream crossing

near Indianapolis, Lawrence Township, Marion County

NE¼, NE¼, NE¼, Section 21, T 16N, R 5E, Cumberland Quadrangle

Quad Code: 3908578

UTM Coordinates: Downstream 4408735 North, 587985 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : PL-19445

Lake : Center Lake

Applicant : Gary Bowers

2414 East Winona Avenue Winona Lake, IN 46590-2108

Description : A concrete seawall will be constructed across 185' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on February 19, 2003 and March 3, 2003.

Location : Springers Addition, Outlot #4

near Warsaw, Wayne Township, Kosciusko County NW¼, Section 8, T 32N, R 6E, Warsaw Quadrangle

Quad Code: 4108527

UTM Coordinates: Downstream 4566563 North, 595299 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19449

Lake : Bruce Lake

Applicant : Anderson Family Partnership

Judy Reynolds

415 West 12th Street

Chicago Heights, IL 60411

Description : A glacial stone seawall will be constructed across 53' of the applicant's 53'

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The deteriorated, existing glacial stone seawall will be removed and geotextile fabric will be placed and the stone returned to the bank. Details of the project are contained in information and plans received at the Division of Water

on February 20, 2003 and March 4, 2003.

Location : Lot 76, Wynn's 2nd Addition; 11622 West South Park Road

near Lake Bruce, Union Township, Fulton County

SE¼, SW¼, Section 6, T 30N, R 1E, Kewanna Quadrangle

Quad Code: 4108614

UTM Coordinates: Downstream 4546595 North, 545198 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19452

Lake : Big Long Lake

Applicant : Gary L Crossgrove

11801 Diebold Road

Fort Wayne, IN 46845-9667

Description : A glacial stone seawall will be constructed across 60' of the applicant's 60'

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The deteriorated, existing railroad tie seawall will be completely removed. Details of the project are contained in information and plans received

at the Division of Water on February 24, 2003 and March 3, 2003.

Location : Lot #2, Sunset Park; 9690 East 520 South

near South Milford, Milford Township, LaGrange County

SE¼, NW¼, NE¼, Section 22, T 36N, R 11E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4602906 North, 646773 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19453

Lake : Pretty Lake

Applicant : Mike and Carol Selby

308 East Main Street Albion, IN 46701-1254

Description : A glacial stone seawall will be constructed across 20' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on February 24, 2003 and March 3, 2003.

Location : ½ of Lot 24, Pretty Lake Resort; 9285 East 430 South

near South Milford, Milford Township, LaGrange County

NW1/4, SE1/4, NW1/4, Section 15, T 36N, R 11E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4604411 North, 646098 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11